

1.  $lL + Mm + Nn \rightarrow pP + qQ + rR$  the equilibrium constant for this reaction is :

$$(1) K_c = \frac{[P]^p [Q]^q [R]^r}{[L]^l [M]^m [N]^n} \quad (2) K_c = \frac{[L]^l [M]^m [N]^n}{[P]^p [Q]^q [R]^r}$$

$$(3) K_c = \frac{[L][M][N]}{[P][Q][R]} \quad (4) K_c = \frac{lmn}{pqr}$$

2. Due to low ionization potential the alkali metals are :

- (1) weak oxidizing agent
- (2) strong oxidizing agent
- (3) strong reducing agent
- (4) none of these

3. Current order of radius is :

- (1)  $Li^+ > Na^+ > K^+$
- (2)  $K^+ > N^{3+} > Li^+$
- (3)  $Na^+ > K^+ > Li^+$
- (4) all same

4. If there is an uncertainty in the position of an electron is zero then uncertainty in the momentum will be :

- (1)  $\frac{h}{2\pi}$
- (2) infinite
- (3)  $nh/2\pi$
- (4) zero

5. The boiling point of water is high due to :

- (1) high ionic product
- (2) hydrogen bonding
- (3) heavy weight
- (4) high dielectric efficient

6. Elements of the same group are :

- (1) Mg, Ba
- (2) C, S
- (3) H, Be
- (4) As, Se

7.  $CH_3COOAg + Br_2 \rightarrow CH_3Br + AgBr + CO_2$ . The above reaction is known as :

- (1) Hoffmann mustard oil reaction
- (2) Wurtz fitting reaction
- (3) Hunsdiecker reaction
- (4) Volhard zelinsky reaction

8.  $1s^2 2s^2 2p^6 3s^2 3p^2$  configuration shows the :

- (1) f-block elements
- (2) p-block elements
- (3) s-block elements
- (4) d-block elements

9. The required condition for precipitation is :

- (1) ionic product  $>K_{sp}$
- (2) saturated solution
- (3) ionic product  $<K_{sp}$
- (4) dilute solution

10. The molarity of an electrolyte  $BaCrO_4$  is  $1.415 \times 10^{-5} M$ , the value of solubility product will be :  
 (1)  $2 \times 10^{-5}$  (2)  $2.02 \times 10^{-12}$  (3)  $2.25 \times 10^{-6}$  (4)  $2 \times 10^{-10}$
11. Lewis acid is :  
 (1)  $NH_2NH_2$  (2)  $NH_3$  (3)  $AlCl_3$  (4)  $H_2O$
12. There are three unpaired electrons in N according to :  
 (1) Pauli's law (2) Hund's law (3) Aufbau's law (4) Stark law
13. The pH values of solution A and B are 2 and 6 resp. Acid strength of A in comparison to B will be :  
 (1) 4 times (2) 2 times (3)  $10^{-4}$  times (4) 10000 times
14. In which of the following test,  $KMnO_4$  is used to testing unsaturation :  
 (1) Mulliken-Barker test (2) Bayer test  
 (3) Fehling test (4) Schiff test
15.  $CH_3COCl + H_2 \xrightarrow{Pd/BASO_4} A + HCl$  In the above reaction A is :  
 (1) Methanol (2) Acetic acid (3) Acetaldehyde (4) Ethanol
16. Removing of sulphur by heating of pyrites is called :  
 (1) Bessemerisation (2) Roasting (3) Smelting (4) Calcination
17.  $CH_3CHO + CH_3MgX \xrightarrow{H_2O} A$  here A is :  
 (1) 2-propanol (2) 1-propanol (3) Acetone (4) Acetaldehyde
18. Which of the following has not coloured salt :  
 (1)  $Cu^+$  (2)  $Fe^+$  (3)  $Cu^{2+}$  (4)  $CO^{2+}$
19. Nitration of the benzene is a reaction of :  
 (1) Nucleophilic substitution  
 (2) Nucleophilic addition  
 (3) Electrophilic substitution  
 (4) Electrophilic addition
20. Which of the following is most reactive for nitration :  
 (1) Nitrobenzene (2) Chlorobenzene (3) Toluene (4) Benzene
21. Conversion of  $H$  into  $H^+$  ion is a :  
 (1) Reduction

- (2) Free radical fission
- (3) Oxidation
- (4) Fission of hydrogen

**22. In which of the following there is no resonance :**

- (1) Ethyl amine
- (2) Phenol
- (3) Anilene
- (4) Benzene

**23. Why does  $\text{NH}_4\text{Cl}$  is added first in  $\text{NH}_4\text{OH}$  in the qualitative analysis :**

- (1) for pure precipitation
- (2) for making dilute solution
- (3) to reduce the concentration of  $\text{OH}^-$  ion
- (4) to increase the concentration of  $\text{OH}^-$  ion

**24. The hydrolysis of esters by base is known as :**

- (1) Dehydration
- (2) Saponification
- (3) Dehlogenation
- (4) Dehydrogenation

**25. By which of the following, oxalic acid reacts at  $110^\circ\text{C}$  to form formic acid :**

- (1) Pri. Amine
- (2) Glycerol
- (3) Acetaldehyde
- (4) Acetone

**26.  $\text{M}_x\text{A}_y \rightarrow x\text{M}^{y+} + y\text{A}^{x-}$  the true statement for this reaction is :**

- (1)  $K_{sp} = X^x S^{x+y}$
- (2)  $K_{sp} = S^{x+y}$
- (3)  $K_{sp} = X^x Y^y S^{x+y}$
- (4)  $K_{sp} = S^2$

**27. By which of the following enzyme in the process of fermentation glucose and fructose are converted into alcohol :**

- (1) Diastase
- (2) Xymase
- (3) Invertase
- (4) Maltase

**28. Nitration of benzoic acid gives :**

- (1) 4-dinitrobenzoic acid
- (2) 2,4-dinitrobenzoic acid
- (3) 2-nitrobenzoic acid
- (4) 3-nitrobenzoic acid

**29. Which of the following is the main particle of petrol :**

- (1) Alkyle helide
- (2) Compounds containing oxygen
- (3) Compounds containing sulphur
- (4) Mixture of alkanes

**30. The order of dehydration of alcohols by concentrated  $\text{H}_2\text{SO}_4$  is :**

- (1)  $t > s > p$
- (2)  $p > s > t$
- (3)  $s > t > p$
- (4) All same

**31. Which of the following forms oilynitrosoamine with aq.  $\text{HNO}_2$  :**

- (1) Aniline
- (2) Dimethylamine
- (3) Ethylamine
- (4) Methylamine

**32. Reducing agents are those which :**

- (1) domates electrons
- (2) forms covalent bond

- (3) shares electrons
- (4) gains electrons

33. In acidic medium the oxidation state of Mn in  $\text{KMnO}_4$  change from :

- (1) +6 to +2
- (2) +7 to +3
- (3) +7 to +4
- (4) +7 to +2

34.  $\text{A} + \text{B} \rightleftharpoons \text{C} + \text{D}$  In this reaction initial concentration A and B are mole each of the equilibrium constant is k. If the concentrations of A and B will be done 2 and 3 mole resp. the equilibrium constant will be :

- (1) half
- (2) unchanged
- (3) four times
- (4) 2 times

35. Which of the following are homologous :

- (1)  $\text{CH}_3\text{COOH}$ ,  $\text{CH}_3\text{COOCH}_3$
- (2)  $\text{CH}_3\text{-C}\equiv\text{CH}_2\text{CH}_2=\text{CH}_2$
- (3)  $\text{CH}_3\text{CHO}$ ,  $\text{CH}_3\text{CH}_2\text{CHO}$
- (4)  $\text{CH}_3\text{CHO}$ ,  $\text{CH}_3\text{COCH}_3$

36. The general formula of alkyne is :

- (1)  $\text{C}_n\text{H}_{2n}$
- (2)  $\text{C}_2\text{H}_{2n-2}$
- (3)  $\text{C}_n\text{H}_{2n+2}$
- (4) None above

37. According to Bohr, electron can move around the nucleus. If the principal quantum no is n then the angular momentum will be :

- (1)  $nh$
- (2)  $h/\pi$
- (3)  $n\pi/h$
- (4)  $nh/2\pi$

38. At reversible equilibrium :

- (1) the concentration of matter are equal
- (2) the forward and backward rates are equal
- (3) the backward rate will be higher
- (4) the forward rate will be higher

39. The hydrolysis constant ( $k_h$ ) of  $\text{CH}_3\text{COONa}$  at  $25^\circ\text{C}$  will be : ( $K_a=1.8 \times 10^{-5}$ )

- (1)  $5.55 \times 10^{-5}$
- (2)  $5.55 \times 10^{-10}$
- (3)  $5.55 \times 10^{-12}$
- (4)  $5.55 \times 10^{-11}$

40. If the radius of I Bohr orbit of H is  $a_0$  then the radius of III Bohr orbit will be :

- (1)  $12a_0$
- (2)  $3a_0$
- (3)  $9a_0$
- (4)  $3a_0$

41. The knowledge of energy and position of an electron is found from :

- (1) Principal quantum no.
- (2) Azimuthal quantum no.
- (3) Magnetic quantum no.
- (4) Spin quantum no.

42. The conjugate acid of  $\text{Cl}^-$  is :

- (1)  $\text{HCl}$
- (2)  $\text{HClO}_3$
- (3)  $\text{HClO}_2$
- (4)  $\text{HClO}_4$

43.  $\text{OH}^-$  and  $\text{H}_2\text{O}$  both are according to Lewis :

- (1) Acids
- (2) Bases
- (3) Acid and base
- (4) Base and acid

44. Azimuthal quantum no. is represented by :

- (1) s            (2) n            (3) l            (4) m

45. The values of  $l$  and  $n$  for  $2p$  orbital are :

- (1)  $l = 2, n = 2$       (2)  $l = 2, n = 1$     (3)  $l = 0, n = 1$     (4)  $l = 1, n = 2$

46. Which of the following are present in the aqueous solution of  $\text{Na}_2\text{CO}_3$  :

- (1)  $\text{H}_2\text{CO}_3, \text{Na}^+, \text{OH}^-$  ion  
 (2)  $\text{H}_2\text{CO}_3, \text{OH}^-, \text{CO}_3^{2-}$   
 (3)  $\text{CO}_3^{2-}$  ion  
 (4)  $\text{Na}^+$  and  $\text{OH}^-$

47. The no. of unpaired electrons in the configuration  $1s^2, 2s^2p^3$  are :

- (1) 5            (2) 3            (3) 2            (4) 1

48. The pH value of pure water is 7. If a salt X is added in the water the pH value raised and become 13. The salt X will be:

- (1)  $\text{CH}_3\text{COONH}_4$     (2)  $\text{NH}_4\text{Cl}$     (3)  $\text{CH}_3\text{COONa}$     (4)  $\text{NaCl}$

49. The magnetic quantum no. shows :

- (1) orientation of orbitals  
 (2) shape of orbitals  
 (3) size of orbitals  
 (4) All

50. The value of electronegativity in a column from right to left becomes:

- (1) not certain change    (2) equal    (3) reduces    (4) increases

51.  $\text{PCl}_5 \rightleftharpoons \text{PCl}_3 + \text{Cl}_2$  In this reaction when pressure increases :

- (1) equilibrium constant becomes double  
 (2) more  $\text{Cl}_2$  produces  
 (3) The dissociation of  $\text{PCl}_5$  increases  
 (4) The dissociation of  $\text{PCl}_5$  decreases

52. Shape of s orbital is :

- (1) double dumb bell    (2) spherical    (3) dumb bell    (4) none of these

53. The correct order of ionization potential is :

- (1)  $\text{N} > \text{C} > \text{B}$     (2)  $\text{N} > \text{B} > \text{C}$     (3)  $\text{C} > \text{N} > \text{B}$     (4)  $\text{N} < \text{C} < \text{B}$

54.  $\text{CCl}_4$  is more covalent than  $\text{LiCl}$  because :

- (1) dipole moment of  $\text{Li}-\text{Cl}$  is constant  
 (2) dipole moment of  $\text{CCl}_4$  is zero  
 (3)  $\text{Li}-\text{Cl}$  bond is polar  
 (4)  $\text{C}-\text{Cl}$  bond is non polar

55. Which of the following is the no. of paired electrons in  $\text{N}_2$  molecule :

56. Strongest electronegative element is :


- (1) I                      (2) F                      (3) Cl                      (4) Br

57. When atomic no. of alkali metal increases :

- (1) electron affinity increases  
 (2) ionic radius increases  
 (3) electro negativity increases  
 (4) ionization potential increases

58. The C-Cl bond of  $C_6H_5Cl$  in comparison with  $CH_3Cl$  is :

- (1) long and weak  
 (2) long and strong  
 (3) short and weak  
 (4) short and strong



The name of the above reaction is:

- (1) Wurtz reaction  
 (2) Friedel craft reaction  
 (3) Schoften Bauman reaction  
 (4) Gattermann reaction

60. Which of the following one has electronic configuration of transition element :

- (1)  $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2$   
 (2)  $1s^2 2s^2 2p^6 3s^2 3p^4$   
 (3)  $1s^2 2s^2 2p^6 3s^2 3p^6 3d^3 4s^2$   
 (4)  $1s^2 2s^2 2p^6 3s^2 3p^6$

61. In which of the following conditions benzene reacts with  $H_2SO_4$  :

- (1) when  $HNO_3$  is added  
 (2) with conc. and hot  $H_2SO_4$   
 (3) with dilute and hot  $H_2SO_4$   
 (4) with dilute and cold  $H_2SO_4$

62. The no's of  $\sigma$  and  $\pi$  bonds in tetracyanoethylene are :

- (1) 3  $\sigma$  and 4  $\pi$                       (2) 8  $\sigma$  and 7  $\pi$   
 (3) 9  $\sigma$  and 9  $\pi$                       (4) 9  $\sigma$  and 8  $\pi$

63. Which of the following is diamagnetic molecule :

- (1)  $O_2^{2-}$                       (2)  $O_2^-$                       (3)  $O_2^+$                       (4)  $O_2$

64. To recognize the position and velocity of an electron around the nucleus at a time is :

- (1) could not say any thing
- (2) sometime possible and some time not possible
- (3) impossible
- (4) possible

**65. Which of the following is found from oxidation of propionaldehyde :**

- (1)  $C_2H_5COOH$       (2)  $HCOOH$       (3)  $CH_3COCH_3$       (4)  $CH_3COOH$

**66. According to Bohr when an electron reaches at the lowest level then :**

- (1) Bohr theory does not explains
- (2) There is no change in energy
- (3) Energy of electron reduces
- (4) Energy of an electron increases

**67. The pH value of a solution is 5. The hydrogen ion concentration will be :**

- (1)  $10^{-8}$       (2)  $10^{-2}$       (3)  $10^{-5}$       (4)  $10^{-7}$

**68. The molarity of a solution in which 5.3 gm.  $Na_2CO_3$  is dissolved in 500 ml. will be:**

- (1) 1.0 M      (2) 0.1 M      (3) 0.25 M      (4) 0.2 M

**69. Cupellation method is used the extraction of the following :**

- (1) Zn      (2) Ag      (3) Fe      (4) Cu

**70. The compound which is found from the distillation of calcium acetate is :**

- (1)  $CH_3COCH_2CH_2$       (2)  $HCHO$       (3)  $CH_3CHO$       (4)  $(CH_3)_2CO$

**71. By which of the following process hydrocarbon is found from petrillium :**

- (1) addition      (2) combustion      (3) fractional distillation      (4) all above

**72. If a compound containing more than one functional groups. In the nomenclature, the preference is given to :**

- (1) principal functional group
- (2) triple bond
- (3) double bond
- (4) other functional group

**73. Which of the following is tertiary carbonium ion:**

- (1)  $(CH_3)_3C^{\oplus}$       (2)  $(CH_3)_2CH^{\oplus}$       (3)  $CH_3CH_2^{\oplus}$       (4)  $CH_3^{\oplus}$

**74. Which of the following is true statement :**

- (1) Acetylene gives white precipitate with  $AgNO_3$  and red precipitate with  $Cu_2Cl_2$
- (2) Acetylene gives red precipitate with  $AgNO_3$  and white precipitate with  $Cu_2Cl_2$
- (3) Acetylene gives white precipitate with both
- (4) Acetylene gives red precipitate with both

75. Which of the following is electrophilic :

- (1) R-O-R (2) NH<sub>3</sub> (3) H<sub>2</sub>O (4) BF<sub>3</sub>

76. In which of the following solution methyl orange gives red colour :

- (1) HCl (2) NaOH (3) CH<sub>3</sub>COONa (4) CH<sub>3</sub>COONH

77. The pH value of water is T. When a salt X is dissolved the pH value becomes

13. The salt X will be :

- (1) salt of weak acid and weak base  
 (2) salt of weak acid and strong base  
 (3) salt of strong acid and weak base  
 (4) salt of strong acid and strong base

78. For which of the following titration phenolphthalein is suitable indicator :

- (1) NH<sub>4</sub>OH and NH<sub>4</sub>Cl  
 (2) CH<sub>3</sub>COOH and NaOH  
 (3) HCl and NH<sub>4</sub>OH  
 (4) H<sub>2</sub>CO<sub>3</sub> & N<sub>2</sub>CO<sub>3</sub>

79. The true statement for CH<sub>3</sub>COONH<sub>4</sub> is :

- (1)  $K_a = \frac{K_w}{K_b}$  (2)  $K_h = \frac{K_w}{K_a K_b}$  (3)  $K_h = \frac{K_w}{K_b}$  (4) All above

80. The IUPAC name of CH<sub>3</sub>



CH=CH<sub>2</sub> is :

- (1) 3,3 dimethyl-3-butene  
 (2) 4,4-dimethyl-2-butene  
 (3) 3,3-dimethyl-1-butene  
 (4) 3,3-dimethyl-2-butene

81. Which of the following set of quantum nos. are not possible :

- (1) 3,2,3,1/2 (2) 5,0,0,1/2 (3) 3,2,-3, 1/2 (4) 5,1,0,-1/2

82. For a solution mole nos. of solute and whole solution are 20 and 80 respectively then the mole fraction of solute will be :

- (1) 0.35 (2) 4.0 (3) 0.4 (4) 0.25

83. The degree of ionisation of an electrolyte depends upon :

- (1) size of solvent molecules  
 (2) nature of solvent molecules  
 (3) ionisation potential of solvent molecules  
 (4) shape of solvent molecules



**84. The chemical properties of an element depends upon :**

- (1) atomic no. and volume
- (2) atomic weight and volume
- (3) atomic no. and electronic configuration
- (4) atomic no. of atomic weight

**85. Paramagnetism is found in elements when :**

- (1) all electrons are paired
- (2) octet is complete
- (3) all electrons are shared
- (4) unpaired electrons are present

**86.  $C_6H_5NH_2 + CHCl_3 + KOH \rightarrow (A) + KCl + H_2O$  here A is :**

- (1)  $C_6H_4(Cl)NH_2$
- (2)  $C_6H_5CN$
- (3)  $C_6H_4(OH)NH_2$
- (4)  $C_6H_5NC$

**87. Ethane, ethane and ethyne. In which of the above three, C-H bond energy is highest :**

- (1) in  $C_2H_4$
- (2) in  $C_2H_6$
- (3) in  $C_2H_2$
- (4) same

**88. The correct order of strength of halogen acids is :**

- (1)  $HI > HCl > HBr > HF$
- (2)  $HCl > HF > HBr > HI$
- (3)  $HF < HCl < HBr < HI$
- (4)  $HF > HCl > HBr > HI$

**89. Which of the following pair has same electronic configuration :**

- (1)  $K^+, Rb^+$
- (2)  $Na^+, K^+$
- (3)  $K^+, Ca^{2+}$
- (4)  $Li^+, NO^+$

**90. Alkali metal gets inert gas configuration by :**

- (1) making coordination bond
- (2) sharing an electron
- (3) gain of an electron
- (4) loss of an electron

**91. The polarity of covalent bond between two atoms depends upon :**

- (1) nos. of an unpaired electrons
- (2) electronic configuration of an atom
- (3) electronegativity of an atom
- (4) ionisation potential of an atom

**92. The shape of an ammonia molecule is :**

- (1) pyramide
- (2) tetrahedral
- (3) triangular
- (4) linear

**93. The important copper ore is :**

- (1) Chalcocopyrites
- (2) Alumina
- (3) Bauxite
- (4) Sedarite

**94. Cryolite is added in the extraction of aluminium because of :**

- (1) Oxidation of bauxite

- (2) To remove bauxite from anode  
 (3) Reduction of bauxite  
 (4) To fuse bauxite

**95. By which of the following reagent aldehyde and ketone is distinguished :**

- (1) Fehling solution (2) Bayer solution (3)  $\text{Na}_2\text{CO}_3$  (4)  $\text{O}_3$

**96. Which of the following does not give precipitate with  $(\text{NaOH} + \text{I}_2)$  :**

- (1) Ethanol (2) Benzaldehyde (3) Acetone (4) Acetaldehyde

**97. Sodium acetate + soda lime  $\rightarrow$  A here A is :**

- (1) Butane (2) Propane (3) Ethane (4) Methane

**98. Diethyl ether is not a isomer of :**

- (1) Butanone (2) Butanol (3) Methyl isopropyl ether (4) Methyl propyl ether

**99. By which of the following shiff reagent gives pink colour :**

- (1) Diethyl ether (2) Acetaldehyde (3) Methanol (4) Acetone

**100. In which of the following oxidation state of N is 1 :**

- (1)  $\text{NH}_3$  (2)  $\text{N}_2\text{O}$  (3)  $\text{NH}_2\text{OH}$  (4)  $\text{NO}$

### ANSWER SHEET

1.(1)	2.(3)	3.(2)	4.(2)	5.(2)	6.(1)	7.(3)	8.(2)	9.(1)	10.(4)	11.(3)
12.(2)	13.(4)	14.(2)	15.(3)	16.(2)	17.(3)	18.(1)	19.(3)	20.(3)	21.(3)	22.(1)
23.(3)	24.(2)	25.(2)	26.(3)	27.(2)	28.(2)	29.(4)	30.(2)	31.(2)	32.(1)	33.(4)
34.(2)	35.(3)	36.(2)	37.(4)	38.(2)	39.(2)	40.(3)	41.(1)	42.(1)	43.(2)	44.(3)
45.(4)	46.(2)	47.(2)	48.(3)	49.(1)	50.(3)	51.(4)	52.(2)	53.(1)	54.(3)	55.(2)
56.(2)	57.(2)	58.(4)	59.(2)	60.(3)	61.(1)	62.(3)	63.(1)	64.(3)	65.(1)	66.(3)
67.(3)	68.(2)	69.(2)	70.(4)	71.(3)	72.(1)	73.(1)	74.(1)	75.(4)	76.(1)	77.(2)
78.(2)	79.(2)	80.(3)	81.(3)	82.(4)	83.(2)	84.(3)	85.(4)	86.(4)	87.(3)	88.(3)
89.(3)	90.(4)	91.(3)	92.(1)	93.(1)	94.(4)	95.(1)	96.(2)	97.(4)	98.(1)	99.(2)
100.(2)										